I

App F IX 4

Previous References 1929 (Mud) File No 67-28

Serial Nos. 9, 23, 30 32

Later References
Mr 22 33 (36 37)

General and Revenue Secretariat

Serial Nos of

Part B for January 1930

SUBJECT

Estimate for Rs 23,575 for providing a masonry dam from the Nakaya rocks to the north side of the Kolai Lake and to erect a sluice gate

Sl 32 To The Municipal Commissioner, and the President Bangalore City Municipality
The Commissioner of Government
No L5654-6, dated 27/30

Sanction is re

W. Rau
27/30

General and Revenue Secretariat

File No 67 of 1928

Serial No	
9	Letter no $C_2 - 90/28 - 29$ dt 26 2 1929 from the President Bangalore City Municipality forwarding an estimate for Rs 23,545/2 for sanction to effectively drain off the sewage and waste waters of the Maharaja mills as well as the sewage of Malleswaram, Seshadripuram and old Sawar lines 1) The scheme is estimated by the Executive Engineer, Sanitary and Town Planning Division to cost Rs 23,545/- It is also stated that a report in the matter has been was submitted by the Sany Engineer to the Chief Engineer in August 1928 2) The mill authorities have agreed to contribute a sum of Rs 11,500 on condition that the trade waste and sewage of the mills would be effectively disposed off and the installation would be maintained by the municipality 3) The President further reports that necessary Funds will be provided in the budget

NOTE—Cont sheet

Serial No

for 1929-30 for meeting the expenditure

6) The papers may perhaps be sent to the Chief Engineer for an expression of his opinion of the scheme proposed scheme

5) Chief Sec)

6) Yes

7) Forwarded unsparable to the Chief Engineer of Mysore as desired by order

8) Returned, with compliments

9) 2 The estimate amounts to Rs 23370 as corrected in this office and may be sanctioned

10) 3 The Mysore Spinning and Manufacturing Co , Limited, will bear Rs 11,500 and the balance, the Municipality has agreed to bear, by providing the same in the current year's Budget

Chief Engineer of Mysor

11) As there is no provision item of expenditure in

3945 L

General and Revenue Secretariat | ml File No 67 | App F III—2[illegible] 3 of 192 8

	Serial No	
		years budget of the Bangalore city municipality, draft enquiry is subd. for consideration
	-	Sec 17/8/29 13) Asst Secy) 14) Asst 21/8
Sr. A	23	To The President, Bangalore City Municipal Council No. L 1405 dated 24-8-29 With ref to abv. requesting him to point out the source to meet the cost of the scheme, if sanctioned
	30	From The Munl Comm Bangalore City Municipality G.O. 124/29-30 & 23 12-29 States that the cost will be met from the closing balance in the current years budget.
H L		15) The closing balance at the end of 29-30 is estimated at Rs 116,802 of which a sum of Rs 12045 is proposed to be utilised by the municipality towards the contribution for the scheme

NOTE—Contn sl eet

D 3466

Subject - Estimate for Rs 23,545/- for providing a drain from the Maharaja Hills to the waterfall works below Jakkarayankere & to erect a septic tank -

General and Revenue Secretariat

App. F III—2]

File No 67 of 1928

Serial No	
	16) Draft Agreement is submitted for consideration This seems the most necessary work in the interests of the health of the residents both of Nuwara Eliya & the adjacent areas (Sgd) 28 6/1/30
	The proposals of the municipal council may be approved Secy Health & Lands ✓ Secy 8/1/30
	Secy 27/1/30
	Secy 27/1/30
32	To The Municipal Council Nuwara Eliya through the Provincial Engineer Central Province Sanctions the estimate for Rs 23545/- for providing a Main Drain from the Maharaja Hills to the Waterfall works below Jakkarayankere

DEWAN'S OFFICE 2 JAN 1930 No 05169

CHIEF SECRETARY 7 JAN 1930

SECRETARIAT OF THE COUNCIL 11 JAN 1930 A 5197

Note—Continue on Sheet

8 JAN 1930

WD 056—GPE—30 000—26 7 29

No [illegible] City Municipal Office

Bangalore City Dated 25th Feb. 1929

mnl 67-28-9

D 3999

From C MICHIA, ESQ , B A
The Municipal Commissioner
President, City Municipality
Bangalore City

To

N Madhava Rao, Esq , B A ,B L ,
Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
B a n g a l o r e

Sir,

I have the honor to forward herewith a copy of the -- Memorandum prepared by the Executive Engineer, Sanitary and Town Planning Division, Bangalore, embodying a proposal to effectively drain off the sewage and waste waters of the -- Maharaja Mills as well as the sewage of Malleswaram, Seshadr puram and Old Sawar Lines, beyond the out-falls of the --- Jakkarayankere and to avert the nuisance caused by the --- stagnation of the sewage and trade effluents of the Maharaja Mills in the bed of the tank The scheme is estimated to - cost Rs 23,545/- The Sanitary Engineer has submitted a report in the matter to the Chief Engineer with his letter No 95 dated 22nd August 1928

2 The entire situation was explained to the authorities of the Mysore Spinning and Manufacturing Company and they have agreed to contribute a sum of Rs 11,500/- on condition that the trade waste and sewage of the Mill premises would be effectively disposed off and that the installation would be maintained by the Municipality

3 The subject was carefully considered by the Municipal Council at their meetings held on 19th December 1928 and

6)

and 2nd February 1929, and they have approved the proposal of the Executive Engineer, Sanitary and Town Planning Division, Bangalore

4 I request you therefore, to kindly obtain early sanction of Government for working out the proposed drainage scheme Necessary funds will be provided in the budget for 1929-30 for meeting the expenditure

5 Copies of the Council resolutions, together with copies of the report and plan received from the Executive Engineer, Sanitary and Town Planning Division, Bangalore, are enclosed for favour of information

I have the honour to be,
Sir,
Your most obedient servant,

Chairman
PRESIDENT

SI

Report to accompany the estimate of providing a main drain from the Maharaja Mills to the Outfall works below Jakkarayankere etc

---

The City of Bangalore, needless to say, is bestowed with all natural conditions to make it a City of great importance which it already is Though all that should be done in the way of improving its sanitation by proper drainage etc , has not been done, efforts in this direction are not wanting The entrance to the town by the Railways, however, gives one the impression of the sanitation being poor and neglected The approach from the Mysore side is most insanitary as the trade waste of the Bangalore Woollen and Cotton Mills and the sewage outfall of the Arlepet Drainage are left to stagnate in the lowlying land bordering the railway line The offensive smell from this is quite unbearable The Municipality and the mills are jointly trying to minimize the nuisance by erecting sewage purification plants The other and more important approach to the City is from the opposite side from Poona and Guntakal Even this has a similar nuisance to be combated against The vicinity of the ~~Krishnarajendra~~ (The Mysore Spinning and Manufacturing) Mills is a lowlying swampy ground, where stagnant water is a source of offensive smell and mosquito breeding Added to this a large quantity of trade waste from the Mills and sewage produced by the large number of operatives has caused a serious state in sanitation, requiring immediate attention

The present estimate is in the main to effectively remove this state of affairs by proposing an underground sever from near the Mill to lead off the sewage and trade waste of the Mills to a safe distance beyond the Jakkarayankere and treat the sewage in purification plants and utilize the effluent on irrigable land The surplus effluent when not required on the land can be led off fur-

ther

(8)

further away in earthen channel and thus altogether avoid the nuisance now existing Incidental to this, the effective drainage of other localities in the vicinity is made possible by having ~~the~~ this sewer laid For instance the drainage of Malleswaram now collected in the Septic tank and treated close to the inhabited localities which is a nuisance of no small magnitude can be got rid of by continuing the outfall drain of 9 stoneware pipe to join the proposed main at its starting point near the Mill -- This additional length of drain will also catch the undrained portion of Mallesvaram from Cross Road No R (in plan) southwards The drainage of Seshadripuram can also be connected on to the same main at the second ~~manhole~~ manhole The localities of old Savar Lines and Railway Quarters adjoining this locality can also be drained on to the same main Thus the laying of this main is of great importance and will serve more purposes than one

In view of this a 12 ~~sewer~~ sewer of stoneware is -- proposed from manhole No 1 near the Mill in the Sampige Road The sewer is continued along the road southwards for a distance of about 2,000' and near the level crossing of the Mysore Railway the sewer crosses the railway line and takes a westerly direction passing down the M & S M Railway bridge the sewer is continued in the fields to the site of the Septic tank marked in the plan

The alignment of the sewer has been done on careful consideration of the shortest distance to the outfall consistently to its adaptability to meet the future demands on it For a long length of the sewer in its southernly -- course the ground is practically level and hence the depth of the sewer has a gradual rise from 5' onwards to about 11' depth For a short portion the cutting is much greater reaching 21 at one point The westerly direction of the sewer is on a very steep gradient and consequently the --- depth is much reduced There are 20 manholes on the ---

the whole line with a flushing tank of 250' gallons at the head and with 4 ventilating shafts The estimate for this work is Rs 21,704/-

The branch connections from the Mills to the -- main drain are only at 2 points, with 6 pipe drain of about 260' length and with 3 manholes The estimate for this item is only Rs 719/- Thus the total amount with 5 % contingencies amount to Rs 23,545/-

The estimate is, however, only approximate with lumpsum provision of Rs 2,000/- for the outfall works including the septic tank and lumpsum provision for manholes The details will be worked out if the proposals embodied in the estimate are considered satisfactory and sanction to the executing of the work is likely to be accorded

Sd H F Marker,

Executive Engineer, Sanitary
& Town Planning Division

'C o p y"

For President

SM

[illegible]

[illegible]

[illegible]

No. 28.

PROCEEDINGS OF AN ORDINARY GENERAL MEETING OF THE CITY MUNICIPAL COUNCIL, BANGALORE, HELD ON SATURDAY THE 2nd FEBRUARY 1929, AT 12 NOON IN THE COUNCIL CHAMBER

Present.

C Machia, Esq., B.A., (President)

COUNCILLORS

1 Mr. B. Naidu,
2 " H. Hanumanthappa,
3 " P. Subbarama Chetty,
4 Kamlal Tiwari,
5 " B. Garudachar,
6 " S. M. Kazvi,
7 " H. Bhadrappa,
8 " C. Muthchappa,
9 " C. Chicknanjundappa,
10 " K. Munisawmy,
11 D. Gopalakrishna Rao,
12 " C. Narasinga Rao, B.A., B.L.
13 Rao Bahadur Dr. C. B. Rama Rao, M.D.,
14 Mr. Venkatarangaiengar,
15. " V. Vappey,
16 " M. Balakrishniah, B.A., LL.B.,
17 Khan Bahadur Mohamed Abbas Khan,
18 Mr. J. D. Isaac, B.A., B.L.,
19 " V. Koyan,
20. " Desamukh Govinda Rao,
21 Capt. Y. Jayya,
22 Mr. B. Kempanna,
23. " Saligram Narayana Rao,
24 " D. Venkataramanappa

ABSENT

1 Mr. Kolur Srinivasaiengar, B.A., B.L.,
2 " Siddaveerappa,
3 " K. Srikantayya,
4 Mr. Madhavaiengar, B.A.,
5. " Syed Abdul Khader,
6 " Chickmunisawmaiah.

---

18 To consider letter No A 3777/28 dated 7th January 29 from the General Manager, The Mysore Spinning and Manufacturing Co., Ltd., regretting inability to contribute more than Rs 11,500 towards the estimated cost, viz., Rs 23,545/- for providing a Main Drain from the Mills to the outfall works below Jakkarayana kere and to erect a septic tank, as per Council resolution dated 19th December 1928

Resolution --- Resolved that the proposal of the General Manager, the Mysore Spinning and Manufacturing Co., Ltd to pay Rs 11,500/- towards the cost of providing a main drain as above be accepted

Sd C Machia,
President

"Copy

For President

SM

Appendix F G -

SUBJECT

Section ML

File No 67-28

Serial No 23

No L 1405

Diary No of letter replied to 3949

General and Revenue Secretariat

( )

the *192*

To

The President,
Bangalore City ---
ML - CL

Date of issue 24/8/29

Signed by Jnr D K S Iyer

Sir,

With reference to Correspondence ending with your letter no: C2-90/28-29 dt 25/26-2-29, submitting a scheme costing a sum of Rs 23,548 (23545) for effectively draining off the sewage & waste waters of the Maharaja Mills as well as the sewage of Malleswaram, Seshadripuram

List of enclosures

Copied by

Examined by

over

13)

I old Sowcar Lanes beyond the 2nd Falls of the Jakkarayan-kattai & for averting the nuisance caused by the stagnation of the sewage & trade effluents of the Maharaja mills on the bed of the Canal. I am directed to request you to inform me as to how the contribution of Rs 11500/- by the Municipality will be met from the current year's budget, if the scheme is sanctioned

I have etc

Exec Engr 21/8

Exec Engr 19/8

(DFC) DS

17/8/29

No G To 124/29 30

Enc one

CITY MUNICIPAL OFFICE

Bangalore City Dated 23rd Dec 1929

V SECTT GEN 3466 2 J 1

L S B BRANCH

FROM

C MACHIA, I C B A
Municipal Commissioner,
CITY MUNICIPALITY
BANGALORE CITY

Ml 67-28 Sec-30

To

N Madhava Rao, Esq., B A, B L,
Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

CHIEF SECRETARY 28 DEC 1929

Inward S 24/12

Sir,

With reference to your letter No L 1405/Ml 67-28-23 dated 26th August 1929 asking us to point out the source in the current year's budget from which the contribution of Rs 12,045/- payable by the Municipal Council could be met in case the scheme for the disposal of the sewage of Sanaraja Hills and Malleswaram is sanctioned, I have the honor to state that the Municipal Council ~~have~~ at their meeting held on 14th December 1929 have resolved to meet the expenditure from the Closing balance in the current year's Budget A copy of the resolution of the Municipal Council is herewith forwarded for favour of information of Government and sanction of the scheme

I have the honour to be,
Sir,
Your most obedient servant,

Chacha
Municipal Commissioner

Forwarded with compliments,
P Subbarayudu
Honorary President

(19

PROCEEDINGS OF AN ADJOURNED ORDINARY GENERAL MEETING OF THE CITY MUNICIPAL COUNCIL, BANGALORE, HELD ON SATURDAY THE 14th DECEMBER 1929 AT 12 NOON IN THE COUNCIL CHAMBER

Present

C Machia, Esq., B A., (President)

Councillors

1	Mr Hanumanthappa,	13	Mr N Bal Krishniah, B A., LL B.,
2	Kolur Srinivasiengar, B.A., L L.,	14	" D Gopalakrishna Rao,
3	Kanhaiyalal Thiwari,	15	Rao Bahadur Dr C B Kale Rao,
4	" B Haraddachar,	16	Dr [illegible] Koyan,
5	" [illegible] Razvi,	17	Mr S K Venkataramaiengar,
6	" [illegible] Chikkanajundappa,	18	" H Bhadraiah,
7	Khan Bahadur Mohamed Abbas Khan,	19	" D Venkataramappa,
8	Rao Y V Ayya,	20	" B Kempanna,
9	Mr C [illegible] Kutchappa,	21	" V Vajapey,
10	" D S Govinda Rao,	22	" S Narayana Rao,
11	" Srikantiah,	23.	" C K Narasimha Rao, B A., B L.,
12	G Siddaveerappa,	24	" T S Raghavachar, L C

Absent

1	Mr P Subbarama Chetty,	2	Mr J R Isaac, B A., J B.,
2	" [illegible] Ramaswamy,	3	" Syed Abdul Khader,
3	" [illegible] Madhavaiengar, [illegible]	4	" Chikkamuniswamy

---

20 To sanction payment of Rs 12,045 from the Closing Balance being the share of the Municipality for constructing a sewage pipe line from Maharaja Mills to the Jackkarayanakere out falls for draining of the sewage of Malleswaram Extension

Resolution --- Sanctioned

Sd C Machia,
President

Copy.

For Municipal Commissioner

SJ

G.R.S. VI G 34]

SUBJECT

Diary No of letter replied to 3466

General and Revenue Secretariat

( )

the 192

Date of issue 27-1-1930

Signed by for I C S Sgd

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette Kannada Part ?

H A

Section M C

File No 67-28

Serial No 32

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Letter No C 2-90/28-29 dated the 25/26 th Jul 1929 from the President Bangalore Mc cl. soliciting under the circumstances explained sanction to the resolution of the mc:cl dt 2 2 1929 approving an estimate amounting to Rs 23 545 for providing a Main Drain from the Maharaja Mills to the Outfall Works below Jakkaraya anakere and to erect a Septic Tank

2 Correspondence ending with unofficial note No R 118 dt 4 4 29, from the Chief Engineer of Mysore

Order Thereon No.

P T O

(7)
stating that the above
estimate may be passed
for Rs 23,370/- as revised
in his office of which
a sum of Rs 11500 will
be borne by the Mysore
Spinning & Manufacturing
Co Ltd, & the balance
by the Bangalore City Municy
3 Corr-cpondence
ending with letter no G Do
124/29-30 dy 23 12 29 from
the M.C. Commr, Bangalore
City Municy stating that
the Contribution payable
by the municipality towards
the cost of the scheme
for the disposal of the
sewage of Maharajas Mill
& Malleswaram will be
met from the Closing balance
of Rs 1, 16, 802-1-1 in the Current
year budget, as resolved
by the M.C.C. On 14 12 29
vide Nr 5654-6
dy 27th Jan 1930

The estimate is passed
for Rs 23,370/- of which a
sum of Rs 11500 will be
paid by the Mysore Spinning
& Manufacturing Co Ltd.

P T O

List of enclosures

Copied by

Examined by

WD 1888—GPB—1 000 00—21 12-2

G R S G/33]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

(2) will be
the balance ~~being~~ borne
by the Barcaldine ~~Municipal~~ Council
out of their Closing balance
in the Current year is hereby

will
W/ 6/1 Chief Secy & Govt

OHS
6/30

To
The Municipal Commr
thro
The President
Barcaldine Municipal Council
with the Connected Records
Chief Engr of Mines
Comp Letter to
Govt